

New Jersey Division of AIDS Prevention and Control
Persons Living with HIV/AIDS as of December 31, 2002
Atlantic City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	121	15	0	0	121	15
AIDS-CD4 Only	267	33	0	0	267	33
HIV Only	#	#	#	#	430	53
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	818	100

2. Age *			3. Race/Eth.		Adult/Adl*		Pediatric*		Total	
Cases	%				Cases	%	Cases	%	Cases	%
-----	---	---	-----	---	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic		134	16	0	0	134	16
5-12	#	#	Black, Not Hispanic		#	#	#	#	536	66
13-19	#	#	Hispanic		141	17	0	0	141	17
20-29	34	4	Other/Unknown		7	1	0	0	7	1
30-39	223	27	-----	---	-----	---	-----	---	-----	---
40-49	370	45	Total		#	#	#	#	818	100
50+	188	23								
Unk.	0	0								
-----	-----	---								
Total	818	100								

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	136	24	0	0	136	17
Injection drug user (IDU)	263	46	145	58	408	50
MSM/IDU	36	6	0	0	36	4
Heterosexual contact	51	9	57	23	108	13
Risk not reported/other***	82	14	46	19	128	16
-----	-----	---	-----	---	-----	---
Total	568	100	248	100	816	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	0	.	#	100
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	0	.	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of December 2002.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
AIDS Cases Reported as of December 31, 2002
Atlantic City Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	191 (21)	144 (75)	# #	# #	195 (21)	148 (76)
Other OI w/o PCP	273 (30)	203 (74)	# #	# #	275 (30)	205 (75)
KS Alone	10 (1)	6 (60)	0 (0)	0 (.)	10 (1)	6 (60)
No Disease Listed	433 (48)	166 (38)	0 (0)	0 (.)	433 (47)	166 (38)
Total	907 (100)	519 (57)	6 (100)	6 (100)	913 (100)	525 (58)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %
Under 5	5	1	White, Not Hispanic	# #	# #	184 20
5-12	#	0	Black, Not Hispanic	# #	# #	615 67
13-19	#	0	Hispanic	109 12	0 0	109 12
20-29	138	15	Other/Unknown	5 1	0 0	5 1
30-39	375	41				
40-49	293	32	Total	907 100	6 100	913 100
Over 49	100	11				
Unknown	0	0				
Total	913	100				

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	193	28	0	0	193	21
Injection drug user (IDU)	345	50	147	68	492	54
MSM/IDU	53	8	0	0	53	6
Heterosexual contact	31	4	35	16	66	7
Risk not reported/other***	70	10	33	15	103	11
Total	692	100	215	100	907	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	6	100
Risk not reported/other***	#	#	#	#	0	0
Total	#	100	#	100	6	100

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
AIDS Cases Reported as of December 31, 2002
Atlantic City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	5	5	100%
1985	#	#	75%
1986	5	5	100%
1987	7	7	100%
1988	31	27	87%
1989	70	61	87%
1990	71	55	77%
1991	56	48	86%
1992	83	68	82%
1993	90	66	73%
1994	76	36	47%
1995	91	44	48%
1996	65	24	37%
1997	65	19	29%
1998	46	17	37%
1999	47	19	40%
2000	40	11	28%
2001	43	7	16%
2002	#	#	17%
-----	-----	-----	-----
Total	913	525	58%

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002
Atlantic City Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	76	16	0	0	76	15
5-12	#	#	Black, Not Hispanic	#	#	#	#	320	65
13-19	8	2	Hispanic	90	18	0	0	90	18
20-29	106	22	Other/Unknown	#	#	#	#	6	1
30-39	211	43	-----	-----	-----	-----	-----	-----	-----
40-49	140	28	Total	490	100	#	#	492	100
Over 49	25	5							
Unknown	0	0							
-----	-----	-----							
Total	492	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	-----	-----	-----	-----	-----
Men sex with men (MSM)	76	23	0	0	76	16
Injection drug user (IDU)	154	48	92	55	246	50
MSM/IDU	18	6	0	0	18	4
Heterosexual contact	33	10	45	27	78	16
Risk not reported/other***	43	13	29	17	72	15
-----	-----	-----	-----	-----	-----	-----
Total	324	100	166	100	490	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	-----	-----	-----	-----	-----
Parent at risk/has AIDS/HIV	#	#	0	.	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	-----	-----	-----	-----	-----
Total	#	#	0	.	#	#

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: Includes only those persons known to be infected with HIV. These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control
HIV/AIDS Cases Reported as of December 31, 2002
Atlantic City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	474	34	6	75	480	34
AIDS-CD4 Only	#	#	#	#	433	31
HIV Only	#	#	#	#	492	35
-----	-----	---	-----	---	-----	---
Total	1397	100	8	100	1405	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	7	0	White, Not Hispanic	#	#	#	#	260	19
5-12	#	#	Black, Not Hispanic	929	66	6	75	935	67
13-19	13	1	Hispanic	199	14	0	0	199	14
20-29	285	20	Other/Unknown	#	#	#	#	11	1
30-39	602	43	-----	-----	---	-----	---	-----	---
40-49	389	28	Total	1397	100	8	100	1405	100
Over 49	106	8							
Unknown	#	#							
-----	-----	---							
Total	1405	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	269	26	0	0	269	19
Injection drug user (IDU)	499	49	239	63	738	53
MSM/IDU	71	7	0	0	71	5
Heterosexual contact	64	6	80	21	144	10
Risk not reported/other***	113	11	62	16	175	13
-----	-----	---	-----	---	-----	---
Total	1016	100	381	100	1397	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	8	100
Risk not reported/other***	#	#	#	#	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	8	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
HIV/AIDS Cases Reported as of December 31, 2002
Atlantic City Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis -----	Number of Cases -----	Number Known Dead -----	Case-Fatality Rate -----
Before 1985	10	8	80%
1985	9	7	78%
1986	13	8	62%
1987	24	16	67%
1988	63	43	68%
1989	93	75	81%
1990	124	84	68%
1991	98	69	70%
1992	166	65	39%
1993	120	41	34%
1994	141	46	33%
1995	111	41	37%
1996	83	20	24%
1997	94	20	21%
1998	62	17	27%
1999	55	12	22%
2000	54	6	11%
2001	63	8	13%
2002	20	#	#
Unknown	#	#	#
-----	-----	-----	-----
Total	1405	587	42%

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.